



Use 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering of information, and comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden. Send comments to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE July 13, 1994		3. REPORT TYPE AND DATES COVERED Technical Report #3	
4. TITLE AND SUBTITLE Enhancement of Luminescence in Polymer Nanocomposites				5. FUNDING NUMBERS N00014-94-1-0540 Kenneth J. Wynne R & T Code: 3132111	
6. AUTHOR(S) S.A. Jenekhe and J.A. Osaheni				7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemical Engineering University of Rochester 206 Gavett Hall Rochester, NY 14627-0166	
8. PERFORMING ORGANIZATION REPORT NUMBER #3				9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000	
10. SPONSORING/MONITORING AGENCY REPORT NUMBER 94-23456				11. SUPPLEMENTARY NOTES Prepared for Publication in <u>Chemistry of Materials</u> .	
12a. DISTRIBUTION/AVAILABILITY STATEMENT Reproduction in whole or in part is permitted for any purpose of the United States Government. This document has been approved for public release and sale; its distribution is unlimited.				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) <p>The effect of supramolecular structure and morphology on the solid state luminescence of polymers is explored through a rod-coil copolymer system, poly(benzobisthiazole-1,4-phenylene-co-benzobisthiazole decamethylene), which forms nanocomposites at compositions below 50 mol% rods. The composition dependence of the photoluminescence quantum efficiency exhibited a sharp change corresponding to a change in supramolecular structure of the copolymers. The photoluminescence quantum efficiency of the polymer nanocomposites was as high as 37% which represents over sixfold enhancement compared to the corresponding "bulk" conjugated polymer. These results have implications for the fundamental understanding of the origin of luminescence quenching in conjugated polymers and they also suggest that control of supramolecular structure and morphology is key to efficient solid state luminescence in polymers.</p>					
14. SUBJECT TERMS Polymer nanocomposites; rod-coil copolymers; luminescence; supramolecular structure; morphology; quantum efficiency; conjugated polymers				15. NUMBER OF PAGES 15	
16. PRICE CODE				17. SECURITY CLASSIFICATION OF REPORT Unclassified	
18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified		20. LIMITATION OF ABSTRACT Unlimited	

**OFFICE OF NAVAL RESEARCH**

**GRANT N00014-94-1-0540**

**R&T Code 3132111**

**Kenneth J. Wynne**

**Technical Report No. 3**

**Enhancement of Luminescence in Polymer Nanocomposites**

**by**

**Samson A. Jenekhe and John A. Osaheni**

**Prepared for Publication**

**in**

**Chemistry of Materials**

**University of Rochester  
Department of Chemical Engineering  
Rochester, NY**

**July 13, 1994**

<b>Accession For</b>	
NTIS	<input checked="" type="checkbox"/>
CRA&J	<input checked="" type="checkbox"/>
DTIC	<input checked="" type="checkbox"/>
TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

**Reproduction in whole or in part is permitted for any purpose of the United States Government**

**This document has been approved for public release and sale;  
its distribution is unlimited.**

# ENHANCEMENT OF LUMINESCENCE IN POLYMER NANOCOMPOSITES

Samson A. Jenekhe\* and John A. Osaheni  
Department of Chemical Engineering and Center  
for Photoinduced Charge Transfer  
University of Rochester  
Rochester, New York 14627-0166 USA

## Abstract

The effect of supramolecular structure and morphology on the solid state luminescence of polymers is explored through a rod-coil copolymer system, poly(benzobisthiazole-1,4-phenylene-co-benzobisthiazole decamethylene), which forms nanocomposites at compositions below 50 mol% rods. The composition dependence of the photoluminescence quantum efficiency exhibited a sharp change corresponding to a change in supramolecular structure of the copolymers. The photoluminescence quantum efficiency of the polymer nanocomposites was as high as 37% which represents over sixfold enhancement compared to the corresponding "bulk" conjugated polymer. These results have implications for the fundamental understanding of the origin of luminescence quenching in conjugated polymers and they also suggest that control of supramolecular structure and morphology is key to efficient solid state luminescence in polymers.

---

\*To whom correspondence should be addressed.

The light-emitting properties of polymers are currently of wide interest<sup>1-10</sup> following the report<sup>1</sup> that conjugated polymers can be used to fabricate light-emitting diodes (LEDs). Interest in luminescent organic dye molecules is also high as an alternative approach to molecular LEDs<sup>11-16</sup>. Although fluorescent organic dyes exhibit very high luminescence quantum efficiencies compared to  $\pi$ -conjugated polymers<sup>16</sup>, the later materials are more desirable because of their robust mechanical properties, thermooxidative stability, and ease of fabrication into large area or flexible devices<sup>1-4</sup>. There is thus a growing need for more efficient luminescent polymeric materials and a fundamental understanding of the structural factors that govern efficient light emission in polymers. Here, we report on the luminescence of novel polymer nanocomposites consisting of random rod-coil copolymers, poly(benzobisthiazole-1,4-phenylene)-*co*-poly(benzobisthiazole decamethylene), in which 2-10 nm long electroactive and photoactive rodlike segments of benzobisthiazole-1,4-phenylene chromophores are dispersed in the matrix of the flexible coil segments. The photoluminescence quantum efficiency of the polymer nanocomposites was as high as 37% which represents over sixfold increase compared to the corresponding "bulk" conjugated polymer. These results suggest that control of supramolecular structure and morphology is the key to efficient luminescence and photophysical properties of polymers.

The photophysics<sup>1-16</sup>, especially luminescence, of organic dye molecules and  $\pi$ -conjugated polymers is currently being investigated in connection with their application as emitters in electroluminescent devices. Many dye molecules in the form of evaporated thin films<sup>11-14</sup> or as solid solutions in polymers (i.e. "molecularly doped" polymers)<sup>15</sup> exhibit high photoluminescence (PL) quantum efficiency ( $\Phi_f$ ), good charge transport of injected or photogenerated carriers, but poor mechanical strength and thermal oxidative stability<sup>11-16</sup>. Conjugated polymers, on the other hand, have excellent mechanical properties, thermal stability, and good processing characteristics<sup>1-10</sup>. However, the *solid state*  $\Phi_f$  values of current  $\pi$ -conjugated polymers are rather low, of order 10<sup>-3</sup>% to 10%, which is

from one to several orders of magnitude smaller than those of highly fluorescent dyes<sup>6,7,16</sup>. We have previously reported that several  $\pi$ -conjugated rigid-rod polymers exhibit PL quantum efficiency of 100% in solution but only 5-10% in solid films<sup>7</sup>. Others have similarly found that soluble derivatives of poly(p-phenylene vinylene) have  $\Phi_f$  values of order 50-60% in solution but much lower values (5-10%) in thin films<sup>6</sup>. There is clearly a need to bridge this gap between the *solid state* and *solution* photoluminescence quantum efficiencies and elucidate the structural factors that govern efficient photophysical properties in polymers.

The origin of the low PL quantum yield in  $\pi$ -conjugated polymers has been the subject of recent studies and controversy<sup>5-7,9-10,16</sup>. Among the prior explanations of photoluminescence quenching in  $\pi$ -conjugated polymers are: (i) intrachain defects; (ii) impurities; (iii) photochemical oxidation (in the specific case of vinylene polymers); and (iv) polaron pair formation. We recently proposed *excimer formation* as the dominant intermolecular mechanism for PL quenching in  $\pi$ -conjugated rigid-rod polymers<sup>17</sup>. A key prediction from the excimer mechanism is that enhancement of PL quantum yield can be achieved through control of the interchain packing distances<sup>17</sup>. Here we focus on the rod-coil copolymers and polymer nanocomposites which provide molecularly well-defined ways to explore the role of *supramolecular structure and morphology* on the luminescence of polymers.

Figure 1A shows the chemical structure of the random rod-coil block copolymer system which contains block repeat units of the conjugated rigid-rod homopolymer poly(p-phenylene benzobisthiazole) (PBZT) and the flexible-coil homopolymer poly(benzobisthiazole decamethylene) (PBTC10). The segmented rod-coil copolymers of varying composition were prepared by condensation copolymerization of varying ratios of terephthalic acid and decamethylenedicarboxylic acid with 2,5-diamino-1,4-benzenedithiol, similar to the preparation of the corresponding homopolymers<sup>18</sup>. The composition, molecular structure, and chain microstructure of the rod-coil copolymers were established by several techniques including <sup>1</sup>H NMR, <sup>13</sup>C NMR, infrared and optical

spectroscopies as will be reported in detail in a forthcoming paper<sup>19</sup>. The morphology of the polymer nanocomposites was found to be amorphous by x-ray diffraction and polarized optical microscopy<sup>19</sup>. Figure 1B shows a model of the supramolecular structure and morphology of the polymer nanocomposites.

Films of the copolymer and homopolymers were spin casted from their solutions in nitromethane/ $\text{AlCl}_3$  similar to techniques described elsewhere<sup>18,20</sup>. The spin coated films were washed in water and vacuum dried at 60°C. Optical absorption and steady state PL spectra were obtained with instrumentation previously described<sup>7,8</sup>. The polymer films (~25-80 nm thick) on glass slides were positioned such that the emission was detected 22.5° from the incident radiation beam. The PL quantum yield  $\Phi_f$  was measured by comparing the integration of the emission spectrum of a sample to a standard of known  $\Phi_f$  under identical optical conditions<sup>21-23</sup>. A thin film of  $10^{-3}$  M 9,10-diphenylanthracene in poly(methyl methacrylate) ( $\Phi_f = 83\%$ )<sup>23</sup> was used as the fluorophore standard. Picosecond time-resolved PL decay measurements were made by using the time-correlated single photon counting technique and laser system described previously<sup>7,8</sup>. All the photophysical measurements were made at room temperature.

The optical absorption spectra of films of several copolymers are shown in Figure 2A along with the spectrum of the conjugated homopolymer PBZT. The coil-like nonconjugated polymer (PBTC10) does not absorb light at 340 nm or longer wavelength. What is most remarkable about the optical spectra of the copolymers at less than 50 mole % composition is their highly structured features which are due to the distribution of chromophores of different excitation energies which in turn reflect the distribution of block lengths of the rodlike  $\pi$ -conjugated PBZT repeat units incorporated into the copolymer chains. Much less structured absorption spectra were observed in the copolymers of 50 mole % rods or higher, but the increasing red shift of the absorption maximum was evident, reflecting the increasing block lengths of the  $\pi$ -conjugated chromophores as the copolymer system approaches

the PBZT homopolymer. These results also suggest that the optical absorption in the copolymers and PBZT is of molecular (excitonic) origin.

The PL emission of the rod-coil copolymers varied with composition (Figure 2B), indicating that the emission color can be tuned between the extremes of yellow (100%) and UV (<5%). The 5% copolymer emits blue whereas the 20% emits green. The nonlinear dependence of emission peak with copolymer composition reflects the similar dependence of the optical absorption on composition and both are due to the unique nanostructure and morphology of the materials. All the copolymer PL spectra in Figure 2B are broad and structureless except in the 5% composition where hints of structure are seen. This is in sharp contrast to the highly structured optical spectra of the same materials. The likely explanation of the broad and structureless emission spectra is either: excitation migration among the distribution of conjugated segments and emission from the lowest energy chromophore<sup>9</sup>; or some remaining aggregation of chromophores and consequent excimer type emission. However, the large variation of emission peak with copolymer composition in the 5-40% range where there is no variation of absorption maxima rules out the former explanation.

The composition dependence of the PL quantum efficiency of the copolymers is shown in Figure 3. At 50 mole % or higher when the coil-like polymer segments are dispersed in the matrix of the rod-like segments the quantum yield of the copolymers is identical to the "bulk" PBZT (~6%). The PL quantum efficiency is significantly enhanced relative to the pure PBZT at copolymer compositions in the range of 5-40%, where the nanocomposite morphology is achieved, reaching a peak of 37% for films of 20 mole % copolymer. This corresponds to over a sixfold enhancement of PL quantum efficiency. This high solid state PL quantum efficiency is already approaching values typical of chromophores in solution or even organic dye molecules. However, the solid state PL quantum yield of the polymer nanocomposites could still be increased by a factor of 2.7 to reach the 100% achieved in dilute solutions of PBZT. The observed slight decrease of the quantum yield in the 5-10%

compositions compared to the 20% copolymer is a result of phase separation and aggregation of the rodlike segments as evidenced by differential scanning calorimetry.

The observed large enhancement of the luminescence quantum yield in the polymer nanocomposites (< 50 mole %), compared to the conjugated polymer PBZT, can be explained in terms of interchromophore packing distances, excimer formation, and self-quenching which are regulated by the supramolecular structure and morphology of the materials. In the "bulk" conjugated polymer and copolymers of high composition ( $\geq 50$  mole %), the small interchromophore distances of order 3-4 Å allow a high degree of chromophore aggregation, excimer formation, and self-quenching. At lower copolymer compositions (< 50%), where the nanocomposite morphology is attained, the rodlike  $\pi$ -conjugated chromophores are dispersed in the matrix of the flexible coil segments, resulting in greater interchromophore distances and consequent reduction of the degree of luminescence self-quenching.

The picosecond time-resolved PL decay dynamics of the copolymers photoexcited at 380 nm showed a remarkable composition dependence similar to the quantum yield results. The PL decay dynamics of the 20% copolymer, which had the largest quantum yield, was well described by a single exponential with a lifetime of 0.9 ns (Figure 4). The other copolymers in the nanocomposite region (5-40 mole %) deviated from the single exponential decay to varying degrees. The copolymers of higher compositions ( $\geq 50\%$ ) had decay dynamics that were dramatically nonexponential and similar to PBZT.

Observation of large enhancement of luminescence in polymer nanocomposites has implications for fundamental understanding of efficient light emission in polymers<sup>17</sup> and for practical application of polymers in optoelectronics. The present results support the view that the generally low photoluminescence quantum yield of  $\pi$ -conjugated polymers is due to intermolecular excimer formation and self-quenching facilitated by the relatively ordered aggregation of chains<sup>17</sup>. Molecular regulation of luminescence yield thus reduces to control of interchromophore packing distances and



hence the overall supramolecular structure and morphology: for example, through copolymerization, as demonstrated here or alternatively via bulky side groups. The polymer nanocomposites are new electroactive and photoactive materials whose supramolecular structure and morphology is designed to enhance solid state photophysical properties. The entire rod-coil copolymers represent new materials that unify the two prior approaches to molecular materials for devices --- dye molecules<sup>11-16</sup> and  $\pi$ -conjugated polymers<sup>1-10</sup> --- and hence should help to bridge the gap in theoretical understanding and practical applications of both classes of materials.

In summary, the effect of supramolecular structure and morphology on the solid state luminescence of polymers is explored through a rod-coil copolymer system, poly(benzobisthiazole-1,4-phenylene-co-poly(benzobisthiazole decamethylene), which forms nanocomposites at compositions below 50 mol% rods. The composition dependence of the photoluminescence quantum efficiency exhibited a sharp change corresponding to a change in supramolecular structure of the copolymers. The photoluminescence quantum efficiency of the polymer nanocomposites was as high as 37% which represents over sixfold enhancement compared to the corresponding "bulk" conjugated polymer. These results have implications for the fundamental understanding of the origin of luminescence quenching in conjugated polymers and they also suggest that control of supramolecular structure and morphology is key to efficient solid state luminescence in polymers.

This research was supported by the US Office of Naval Research and the National Science Foundation (CTS-9311741; CHE-9120001).

## REFERENCES

1. Burroughes, J.H.; Bradley, D.D.C.; Brown, A.R.; Marks, R.N.; Mackay, K.; Friend, R.H.; Burn, P.L.; Holmes, A.B. *Nature* **1990**, *347*, 539-541.
2. Bradley, D.D.C. *Adv. Mater.* **1992**, *4*, 756-758.
3. Burn, P.L.; Holmes, A.B.; Kraft, A.; Bradley, D.D.C.; Brown, A.R.; Friend, R.H.; Gymer, R.W. *Nature* **1992**, *356*, 47-49.
4. Gustafsson, G.; Cao, Y.; Treacy, G.M.; Klavetter, F.; Colaneri, N.; Heeger, A.J. *Nature* **1992**, *357*, 477-479.
5. Woo, H.S.; Graham, S.C.; Halliday, D.A.; Bradley, D.D.C.; Friend, R.H.; Burn, P.L.; Holmes, A.B. *Phys. Rev. B* **1992**, *46*, 7379-7389.
6. Smilowitz, L.; Hays, A.; Heeger, A.J.; Wang, G.; Bowers, J.E. *J. Chem. Phys.* **1993**, *98*, 6504-6509.
7. Osaheni, J.A.; Jenekhe, S.A. *Macromolecules* **1993**, *26*, 4726-4728.
8. Osaheni, J.A.; Jenekhe, S.A. *Macromolecules* **1994**, *27*, 739-742.
9. Rauscher, U.; Bäessler, H.; Bradley, D.D.C.; Hennecke, M. *Phys. Rev. B* **1990**, *42*, 9830-9839.
10. Hsu, J.W.P.; Yan, M.; Jedju, T.M.; Rothberg, L.J.; Hsieh, B.R. *Phys. Rev. B* **1994**, *49*, 712-719.
11. Tang, C.W.; VanSlyke, S.A. *Appl. Phys. Lett.* **1987**, *51*, 913-915.
12. Tang, C.W.; VanSlyke, S.A.; Chen, C.H. *J. Appl. Phys.* **1989**, *65*, 3610-3616.
13. Adachi, C.; Tsutsui, T.; Saito, S. *Appl. Phys. Lett.* **1989**, *55*, 1489-1491.
14. Aminaka, E.; Tsutsui, T.; Saito, S.; *Jpn. J. Appl. Phys.* **1994**, *33*, 1061-1068; and references therein.
15. Kido, J.; Kohda, M.; Okuyama, K.; Nagai, K. *Appl. Phys. Lett.* **1992**, *61*, 761-763.
16. Tsutsui, T.; Saito, S. In: *Intrinsically Conducting Polymers: An Emerging Technology*, M. Aldissi, Ed., Kluwer Academic Publishers, Dordrecht, The Netherlands, 1993, pp. 123-143.

17. Jenekhe, S.A.; Osaheni, J.A. *Science*, submitted.
18. Osaheni, J.A.; Jenekhe, S.A. *Chem. Mater.* 1992, 4, 1282-1290.
19. Osaheni, J.A.; Jenekhe, S.A. manuscript in preparation.
20. Jenekhe, S.A.; Johnson, P.O.; Agrawal, A.K. *Macromolecules* 1989, 22, 3216-3222.
21. Winnik, M.A., Ed. *Photophysical and Photochemical Tools in Polymer Science*, Reidel, Dordrecht, Netherlands, 1986.
22. Demas, J.N.; Crosby, G.A. *J. Phys. Chem.* 1971, 75, 991-1024.
23. Guilbault, Ed. *Practical Fluorescence*, Marcel Dekker, New York, 1990, Chaps. 1 and 4.

## FIGURE CAPTIONS


Figure 1. A - The chemical structure of rod-coil block copolymers that form polymer nanocomposites when  $x/(x+y)$  is less than 0.5. B - The model of the supramolecular structure and morphology of the polymer nanocomposites, showing the assembly of rod-coil copolymer chains at one rod/coil ratio.

The morphology is controlled through the rod/coil ratio and the sizes of the rods and coils.

Figure 2. A - Optical absorption spectra of films of several copolymers (curves 1- 6) and the conjugated homopolymer (7): 1, 5%; 2, 10%; 3, 20%; 4, 30%; 5, 40%; 6, 80%; 7, 100% PBZT. B - PL spectra of PBZT and copolymers: 1, 100% PBZT; 2, 40%; 3, 20%; 4, 5%.

Figure 3. Composition dependence of PL quantum efficiency of rod-coil copolymers. Note the sharp increase of  $\Phi_f$  in the nanocomposite region of composition ( $< 50$  mole % PBZT).

Figure 4. Time-resolved PL decay dynamics of rod-coil copolymers: 1, 20%; 2, 40%; 3, 80% PBZT. The PL decay of the 20% copolymer followed a single exponential with a lifetime of 0.9 ns. The PL decay of the 80% copolymer is nonexponential as was the pure PBZT and copolymers with greater than 50% composition.



PBZT-*co*-PBTC10

B




Figure 1  
Jenekhe & Osaheni

Fig. 2A  
Tenekhe & Osaheni




Fig. 2B  
Tenekhe & Osaheni




Fig. 3  
Jenekhe & Osaheni







Fig. 4  
Jenekhe & Osaheni



## TECHNICAL REPORT DISTRIBUTION LIST - GENERAL

Office of Naval Research (1)  
Chemistry and Physics Division  
Ballston Tower 1, Room 503  
800 North Quincy Street  
Arlington, Virginia 22217-5660

Dr. Richard W. Drisko (1)  
Naval Civil Engineering  
Laboratory  
Code L52  
Port Hueneme, CA 93043

Defense Technical Information Center (2)  
Building 5, Cameron Station  
Alexandria, VA 22314

Dr. Harold H. Singerman (1)  
Naval Surface Warfare Center  
Carderock Division Detachment  
Annapolis, MD 21402-1198

Dr. James S. Murday (1)  
Chemistry Division, Code 6100  
Naval Research Laboratory  
Washington, D.C. 20375-5000

Dr. Eugene C. Fischer (1)  
Code 2840  
Naval Surface Warfare Center  
Carderock Division Detachment  
Annapolis, MD 21402-1198

Dr. Kelvin Higa (1)  
Chemistry Division, Code 385  
Naval Air Weapons Center  
Weapons Division  
China Lake, CA 93555-6001

Dr. Peter Seligman (1)  
Naval Command, Control and  
Ocean Surveillance Center  
RDT&E Division  
San Diego, CA 92152-5000

\* Number of copies to forward